



## Model-based machining in practice: screening alternative milling processes

23 May 2023, 11:25

Peter ten Haaf

Over the years, various calculation models have been developed that allow machining processes to be analysed and even optimised. These calculation models can be run by anyone on the online platform [modelgebaseerdwerken.be](https://modelgebaseerdwerken.be) by means of simple forms. In a series of blog posts, we explain how you can use this platform in practice. In this fourth part, we look at how you can quickly screen alternative milling processes.

When you open a tool catalogue, you are likely to find more than one tool that could do the job you want. In fact, there is a good chance that you could even find several milling tools for the same job in your own collection. The decision then comes down to experience, so you use the tool that worked well in the past. But was that the right choice at the time? Or what if you are dealing with a new material or a new process and you have no experience to fall back on? Moreover, it is often not realistic for you to test multiple tools before using them, so it comes back to a matter of trial and error.


Frezen



Verkrijg inzicht in het freesproces door een analyse van de te verwachten snijkrachten en hun patroon.

Naar model...

Snijplaatfreen



Verkrijg inzicht in het werken met snijplaatfreen door een analyse van de te verwachten snijkrachten en hun patroon.

Wordt verwacht voorjaar 2023


Economisch model



Bereken de 'economische standtijd' en 'standtijd voor maximale productie' voor een vol freesgereedschap en bepaal van daaruit de meest geschikte snij snelheid.

Naar model...

Proceskaarten



Bekijk de invloed van verschillende parameters op het verspaningsproces.

Naar model...

Dynamisch gedrag



Vermijden van trillingen tijdens een freesoperatie.


Wordt verwacht voorjaar 2023

## Colour codes

The 'process cards' model combines many individual models (cutting forces, load, deflection, stability, etc.) to give a score to the proposed milling process. But that's not all. In the 'Process card' tab you can indicate which alternatives you have: do you have multiple diameters or tools with different numbers of teeth, can the cutting conditions still vary, etc? Each of these alternatives is simulated and gives a score with a corresponding colour code. This lets you quickly identify where processes are located.

Materiaal	Gereedschap	Bewerking	Machine
Proceskaart			
Selectie proceskaarten			
Helix vs. Diameter	<input checked="" type="checkbox"/>		
Helix vs. Tanden	<input checked="" type="checkbox"/>		
Helix vs. Diepte	<input type="checkbox"/>		
Diepte vs. Breedte	<input type="checkbox"/>		
Parameters proceskaarten			
Diameters (mm):	<input type="checkbox"/> 2 <input type="checkbox"/> 4 <input type="checkbox"/> 6 <input type="checkbox"/> 8 <input checked="" type="checkbox"/> 10 <input checked="" type="checkbox"/> 12 <input checked="" type="checkbox"/> 14 <input checked="" type="checkbox"/> 16 <input type="checkbox"/> 18 <input type="checkbox"/> 20		
Tanden:	<input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input checked="" type="checkbox"/> 5 <input checked="" type="checkbox"/> 6		
Helix (°):	<input type="checkbox"/> 20 <input type="checkbox"/> 25 <input type="checkbox"/> 30 <input type="checkbox"/> 35 <input checked="" type="checkbox"/> 40 <input checked="" type="checkbox"/> 45 <input checked="" type="checkbox"/> 50 <input checked="" type="checkbox"/> 55 <input checked="" type="checkbox"/> 60		
Variatie voeding (fz):	<input type="text" value="200"/>		%
Variatie snedebreedte (ae):	<input type="text" value="200"/>		%
Variatie snedediepte (ap):	<input type="text" value="200"/>		%

If you opt for a process that has been assigned a yellow, brown or red colour code, this means that the operation is, while not impossible, certainly suboptimal. It is possible that no option turns green, especially if extreme cutting conditions or slender tools are involved. Think of it as a warning to carry out the operation with caution.



Punt 1	
Diameter:	8 mm
Tanden:	4
Helix:	30 °
Spaanhoek:	8 °
Max. snijkracht:	424.9 N
Stabiliteitsindex:	96 %
Nauwkeurighedsindex:	0 %
Procesindex:	87 %
Snij snelheid:	150 m/min
Voeding:	0.1 mm/tr
Snedebreedte:	1 mm
Snedediepte:	8 mm

## ?Modelgebaseerd bewerken.be

Access to the platform is free of charge, but you do need to register.

- **Step 1. Register via the Sirris portal**

URL: <https://portal.sirris.be/modelgebaseerde-bewerken-login>

Important: The code is generated immediately and displayed on the screen. So write it down or copy it immediately.

- **Step 2. Go to the online platform**

URL: <http://www.modelgebaseerdbeewerken.be/index.php>

- **ZET DE EERSTE STAPPEN RICHTING INDUSTRIE 4.0**

Optimaliseer je verspaningsprocessen dankzij digitale modellen



- **Step 4. Log in with your e-mail address and the generated code**

# ZET DE EERSTE STAPPEN RICHTING IND

Optimaliseer je verspaningsprocessen dankzij digitale modellen



A screenshot of a login interface. It features a dark blue header with the text 'ZET DE EERSTE STAPPEN RICHTING IND' and 'Optimaliseer je verspaningsprocessen dankzij digitale modellen'. Below the header is a white login form with a red border. The form contains a 'login' label, a text input field, a password input field, and a 'Aanmelden' button.

You will also find the necessary explanations about working with the models on the platform, but be sure to keep an eye on the Sirris diary because we will be organising both physical and online explanation sessions.

The online platform is part of the COOCK project '[Model-based processing](#)', which was launched with support from Flanders Innovation & Entrepreneurship (VLAIO).

AGENTSCHAP  
INNOVEREN &  
ONDERNEMEN



Vlaanderen  
is ondernemen

?

## Authors



Peter ten Haaf